
Marine Life Protection Act Initiative




Draft Evaluation of Ecological Contributions of Pending Military Closures


Presentation to the MLPA Blue Ribbon Task Force May 18, 2009 • Conference Call


Dr. Satie Airamé, Science and Planning Advisor, MLPA Initiative
















Ecology of Military Islands

- San Clemente and San Nicolas islands are the most isolated and remote islands in the Southern California Bight
- Less accessible to various interest groups
 - Larger kelp bass, sheephead and lobsters
 - Abundant giant seabass
- Less likely to be affected by mainland pollution
- Least impacted by invasive species
 - E.g., Sargassum filicinum



Ecology of Military Islands

- More rocky reef habitat and kelp beds
 - Less pollution and sedimentation, and presence of large predators contribute to abundant kelp
- Significantly deeper kelp habitat
 - Due to water clarity
- Unusually large stands of surfgrass
- Largest populations of purple hydrocoral
 - Excluding Farnsworth Bank (Santa Catalina)
- Critical and substantial marine mammal haulouts and bird roosting areas



Ecological Features of San Clemente

- Northern range extensions of Panamic species
 - Panamic arrow crab (Stenorhynchus debilis)
 - Warty sea slug (*Pleurobranchus areolatus*)
 - Arbacia sea urchin (Arbacia incisa)
 - Guadalupe cardinalfish (Apogon guadalupensis)
 - Pink cardinalfish (A. pacificus)
 - Swallow damselfish (Azurina hirundo)
 - Purple brotula (Oligopus diagrammus)
- Only rock-based morph of elk kelp (*Pelagophycus porra*) at the islands
- Remnant population of endangered white abalone (*Haliotis sorenseni*)



Marine Birds/Mammals at San Clemente

San Clemente Island

- Supports majority of marine birds and mammals in bioregion
- Supports all California sea lion and Northern elephant seal rookeries in bioregion

Proposed Military Closures at San Clemente Island

- Include sites used by 26% of Pacific harbor seals on the island (0.4% of study region population)
- Include known Northern elephant seal rookery and haulout used by 2% of island population (0.8% of study region population)



Ecological Features of San Nicolas

- Significantly deeper eelgrass habitat
 - Due to water clarity
- Largest remaining remnant populations of endangered black abalone
- Presence of large predators enhances ecosystem function
 - Larger predatory fish (e.g. kelp bass, sheephead, giant seabass) and invertebrates (e.g., lobster)
 - Resident southern sea otter population



Marine Birds/Mammals at San Clemente

San Nicolas Island

- Supports large proportion of marine birds and mammals in West Channel Islands Bioregion
- Supports large proportion of California sea lion and Northern elephant seal in study region
- Supports only resident breeding population of the southern sea otter in the study region

Proposed Military Closures at San Nicolas Island

 Includes a haulout used by 6% of California sea lions on the island (0.4% of study region population)



Ecological Features of Begg Rock

- Emergent sheer pinnacle reef 10 miles west of San Nicolas
- Unique invertebrate assemblage, including:
 - Purple hydrocoral
 - Shallow aggregations of *Metridium* and other anemones





Size Evaluation Results

MPA/Closure Name	Proposed By	Area (sq miles)
San Nicolas Island Pending Military Closure	LA, LB, OA, TB, Ext B	25.2
State waters around Begg Rock	LB, OB, Ext C	38.0
Begg Rock SMR	TA	11.5
San Clemente Pending		
Military Closure 1 (Area	LA, LB, OA, TB,	
G, SWAT I)	Ext A, Ext B	17.4
San Clemente Pending		
Military Closure 2	LA, LB, OA, TB,	
(Wilson Cove)	Ext A, Ext B	19.2
Wilson SMR	OB	17.1
China Point SMR	OB	23.3
China Point SMR	Ext C	41.7
San Nicolas SMR	OB, TA	40.1
West San Nicolas SMR	Ext C	66.2
North End SMR	Ext C	47.7
Pyramid Head SMR	TA	9.1
Pyramid Head SMR	Ext C	28.8
Castle Rock SMR	TA	25.6
West San Clemente SMR	TA	12.3



Habitats at San Clemente Island







East Channel Islands Bioregion

Proposed Military Closures

MPAs proposed by the RSG on
San Clemente Island

Draft MPA Arrays and Draft External MPA Proposals

*LA = Lapis A

*OA = Opal A

*TB = Topaz B


*XB = External B


LB = Lapis B

OB = Opal B

TA = Topaz A

XA = External A





^{*}Includes pending military closures



East Channel Islands Bioregion

Proposed Military Closures

MPAs proposed by the RSG on
San Clemente Island

Draft MPA Arrays and Draft External MPA Proposals

*LA = Lapis A

*OA = Opal A

*TB = Topaz B


*XB = External B


LB = Lapis B

OB = Opal B

TA = Topaz A

XA = External A





^{*}Includes pending military closures



East Channel Islands Bioregion

Proposed Military Closures

MPAs proposed by the RSG on
San Clemente Island

Draft MPA Arrays and Draft External MPA Proposals

*LA = Lapis A

*OA = Opal A

*TB = Topaz B


*XB = External B


LB = Lapis B

OB = Opal B

TA = Topaz A

XA = External A





^{*}Includes pending military closures



East Channel Islands Bioregion

Proposed Military Closures

MPAs proposed by the RSG on
San Clemente Island

Draft MPA Arrays and Draft External MPA Proposals

*LA = Lapis A

*OA = Opal A

*TB = Topaz B


*XB = External B


LB = Lapis B

OB = Opal B

TA = Topaz A

XA = External A





^{*}Includes pending military closures



West Channel Islands Bioregion

Proposed Military Closures

MPAs proposed by the RSG on
San Nicolas Island

Draft MPA Arrays and Draft External MPA Proposals

*LA = Lapis A

*OA = Opal A

*TB = Topaz B


*XB = External B


LB = Lapis B

OB = Opal B

TA = Topaz A

XA = External A





^{*}Includes pending military closures



West Channel Islands Bioregion

Proposed Military Closures

MPAs proposed by the RSG on
San Nicolas Island

Draft MPA Arrays and Draft External MPA Proposals

*LA = Lapis A

*OA = Opal A

*TB = Topaz B


*XB = External B


LB = Lapis B

OB = Opal B

TA = Topaz A

XA = External A





^{*}Includes pending military closures



West Channel Islands Bioregion

Proposed Military Closures

MPAs proposed by the RSG on
San Nicolas Island

Draft MPA Arrays and Draft External MPA Proposals

*LA = Lapis A

*OA = Opal A

*TB = Topaz B


*XB = External B


LB = Lapis B

OB = Opal B

TA = Topaz A

XA = External A






^{*}Includes pending military closures



West Channel Islands Bioregion



Draft MPA Arrays and Draft External MPA Proposals

*LA = Lapis A

*OA = Opal A

*TB = Topaz B


*XB = External B


LB = Lapis B

OB = Opal B

TA = Topaz A

XA = External A





^{*}Includes pending military closures



Habitat Replication by Bioregion

	West Chan	West Channel Islands Bioregion		East Channel Islands Bioregion	
	Northern Channel Islands MPAs	San Nicolas Island Pending Military Closure	State Waters around Begg Rock	San Clemente Island Pending Military Closure 1 (SWAT I)	San Clemente Island Pending Military Closure 2 (Wilson Cove)
Beaches	2	1	0	0	1
Rocky Shores	3	1	0	1	1
Surfgrass	3	0	0	0	0
Kelp (linear)	3	1	0	1	1
Hard 0 - 30m proxy	3	1	0	1	1
Hard 30 - 100m	3	1	1	1	0
Hard 100 - 3000m	1	0	0	0	0
Soft 0 - 30m proxy	3	1	0	0	1
Soft 30 - 100m	3	1	1	0	0
Soft 100 - 200m	2	0	1	0	0
Soft 200 - 3000m	0	0	0	0	0
Soft 0 - 3000m	3	1	1	1	1
Depth zone 30 - 100m	4	1	1	1	0
Depth zone 100 - 200m	3	0	1	1	1
Depth zone 200 - 3000m	1	0	0	1	1
Estuary	0	0	0	0	0
Coastal Marsh (area)	0	0	0	0	0
Eelgrass	0	0	0	0	0
Tidal Flats	0	0	0	0	0



San Nicolas Island Pending Military Closure

- Located in West Channel Islands Bioregion
- Includes:
 - Some kelp (Macrocystis pyrifera)
 - Low relief habitats
 - Abundant purple urchins
 - One subtidal monitoring site and one biodiversity monitoring site
- Does not include:
 - Large persistent kelp beds (to the northwest)
 - Resident breeding southern sea otter (*Enhydra lutris nereis*) population (to the northwest)



San Clemente Island Pending Military Closure 1

- Located in East Channel Islands Bioregion
- Includes:
 - Castle Rock and 9-Fathom Bank
 - Submerged rocky pinnacles
 - Abundant giant kelp (*Macrocystis pyrifera*), deeper than other areas due to water clarity
 - Large populations of purple coral (Stylaster)
 - Rare rock morph of elk kelp (Pelagophycus porra)
- Does not include:
 - Sandy beach habitat at West Cove (to the south)
 - Open coast habitat along west side of San Clemente



San Clemente Island Pending Military Closure 2

- Located in East Channel Islands Bioregion
- Includes:
 - Narrow rocky shore with intermittent surfgrass beds and a few patches of eelgrass
 - Narrow band of kelp parallel to the shoreline
 - Seafloor drops rapidly to deeper sand
- Does not include:
 - Deep water corals (Stylaster), which are abundant on the west side of San Clemente and Santa Catalina islands